

**Gorgiel** ... in warm atmosphere



# CREST

INFORMATION CARD

PREMIUM LINE

KEY FEATURES

- Easy to mount
- Universal connection - right and left side connection - 180°
- No visible brackets
- Hidden brackets
- Ideal for every bathroom
- Original and aesthetic finishing
- Radiator according to EN 442
- High quality guaranteed



Supplied as standard in white colour with 15 connection. Valves shown in the photo are optional and charged separately. SEE RECOMMENDED

Type:	ACR - bathroom vertical radiator
Material:	Low carbon steel
Construction:	Pipe profile 50 x 15 Collector profile 35 x 35
Work pressure:	Up to 0,4 MPa (4 bar)
Work temperature:	Up to 95°C
Standard equipment:	Premium plug ½" Premium air vent ½" Radiator bracket Z21
Standard finishing:	Standard white colour [01]
Connection:	Internal thread ½"


	STANDARD
Connection diagrams	- Connection 180° [15] = [16]
Connection codes	
	2 - air vent ½" 3 - plug ½"

RECOMENDED ACCESORIES


	<p>DOUBLE valve set For radiators with connection type [16] with thermostatic head all in radiator colour.</p>
	<p>ANGU valve set For radiators with connection [15] [16] complete set of supply and return valve with thermostatic head all in radiator colour.</p>

# CREST

CREST	Height	Width	Depth	Connection				Heat output		Product version
	H [mm]	W [mm]	D [mm]	M [mm]	DM [mm]	A [mm]	HA [mm]	55/45/20°C	75/65/20°C	INDEX code
ACR 80/50	820	500	90	50	57	50	630	208	393	10115143271501
ACR 100/50	1030	500	90	50	57	50	840	251	472	10115143281501
ACR 140/50	1380	500	90	50	57	50	1190	321	606	10115143291501
ACR 150/50	1520	500	90	50	57	50	1330	348	660	10115143301501
ACR 170/50	1730	500	90	50	57	50	1540	391	743	10115143311501



H - height; W - width; D - depth; A - brackets spacing - height; M - connection spacing;  
 HA - brackets spacing - width ; DC - distance wall connection axis





**GORGIEL GROUP GORGIEL PLUS Sp. zo.o. Sp.k.**  
(dawniej GORGIEL GROUP Sp. z o.o.)

Karpicko, 64-200 Wolsztyn  
ul. Poznańska 10

tel. +48 68 347 54 00  
fax + 48 68 347 54 50  
gorgiel@gorgiel.com.pl



[gorgiel.pl](http://gorgiel.pl)